The following listing of claims will replace all prior versions of claims in the application.

Claims 1-10 (canceled)

-- Claim 11 (new): A process for preparing compounds of formulas (I) and (II)

where

R^1 is hydrogen or fluorine, and

Het is a heterocycle selected from the group consisting of

where

R^2 is hydrogen, halogen, C$_1$-C$_4$-alkyl, or C$_1$-C$_4$-haloalkyl,

R^3 is hydrogen or halogen; or is optionally halogen-, methyl-, ethyl-, n- or i-propyl-, n-, i-, s-, or t-butyl-, methoxy-, ethoxy-, n- or i-propoxy-, or n-,

i-, s-, or t-butoxy-substituted C_1-C_4-alkyl, C_1-C_4-alkoxy, C_1-C_4-alkylthio, C_1-C_4-alkylsulfinyl, C_1-C_4-alkylsulfonyl, C_1-C_4-alkoxycarbonyl, C_1-C_4-alkoxy-C_1-C_4-alkyl, C_1-C_4-alkylthio-C_1-C_4-alkyl, carboxyl, C_1-C_4-alkylaminocarbonyl, C_3-C_6-cycloalkylaminocarbonyl, C_1-C_4-dialkyl-aminocarbonyl, C_2-C_4-alkenyl, C_2-C_4-alkenylthio, C_2-C_4-alkenylsulfinyl, or C_2-C_4-alkenylsulfonyl,

R^4 is C_1-C_8-alkyl, C_2-C_6-alkenyl, C_1-C_4-haloalkyl, C_1-C_4-alkoxy-C_1-C_4-alkyl, C_1-C_4-alkylthio-C_1-C_4-alkyl, or C_3-C_8-cycloalkyl; or is optionally halogen-, C_1-C_4-alkyl-, C_1-C_4-alkoxy-, C_1-C_4-alkylthio-, or C_1-C_4-haloalkyl-substituted phenyl or benzyl,

p   is 1, 2, or 3,

X   is oxygen or sulfur, and

Y   is methylene that is optionally singly or doubly, identically or differently, substituted with optionally halogen-, C_1-C_4-alkoxy-, C_1-C_4-alkylthio-, C_1-C_4-haloalkoxy-, or C_1-C_4-haloalkylthio-substituted C_1-C_4-alkyl, C_2-C_4-alkenyl, or C_2-C_4-alkynyl; or is phenyl that is optionally singly to triply, identically or differently, substituted with halogen, cyano, nitro, C_1-C_4-alkyl, C_1-C_4-alkoxy, C_1-C_4-alkylthio, C_1-C_4-haloalkyl, C_1-C_4-haloalkoxy, or C_1-C_4-haloalkylthio,

comprising allowing a compound of formula (III)

(III)

where R^1 and Het are each as defined for formula (I),
to react with a salt of peroxomonosulfuric acid (H_2SO_5),
optionally in the presence of a reaction assistant and optionally in the presence of a diluent.

Claim 12 (new): A process for preparing compounds of formula (I) according to Claim 11 wherein a compound of formula (II) according to Claim 11 is allowed to react with a salt of peroxomonosulfuric acid (H_2SO_5), optionally in the presence of a reaction assistant and optionally in the presence of a diluent.

CS8440   - 4 -

Claim 13 (new): A process according to Claim 12 carried out at a pH of from 6 to 10.

Claim 14 (new): A process for preparing compounds of formula (II) according to Claim 11 wherein a compound of formula (III) according to Claim 11 is allowed to react with a salt of peroxomonosulfuric acid (H_2SO_5), optionally in the presence of a reaction assistant and optionally in the presence of a diluent.

Claim 15 (new): A process according to Claim 14 carried out at a pH of from 1 to 3.

Claim 16 (new): A process according to Claim 11 in which the salt of peroxomonosulfuric acid is potassium hydrogenperoxomonosulfate (2 $KHSO_5$ · $KHSO_4$ · K_2SO_4 (5:3:2:2)).

Claim 17 (new): A process according to Claim 11 carried out at a temperature of from −20°C to 150°C.

Claim 18 (new): A process according to Claim 11 in which

R^1 is fluorine,

Het is a heterocycle selected from the group consisting of

(A) , (B) , (C) ,

(D) , (E) , (F) ,

(G) , and (N) ,

R^2 is hydrogen, fluorine, or chlorine,

R^3 is hydrogen, fluorine, or chlorine; or is optionally fluorine-, chlorine-, methyl-, ethyl-, n- or i-propyl-, n-, i-, s-, or t-butyl-, methoxy-, ethoxy-, n- or i-propoxy-, n-, i-, s-, or t-butoxy-substituted methyl, ethyl, n- or i-propyl, n-, i-, s-, or t-butyl,

methoxy, ethoxy, n- or i-propoxy, n-, i-, s-, or t-butoxy, methylthio, ethylthio, n- or i-propylthio, n-, i-, s-, or t-butylthio, methylsulfinyl, ethylsulfinyl, methyl-sulfonyl, ethylsulfonyl, methoxycarbonyl, ethoxycarbonyl, n- or i-propoxy-carbonyl, n-, i-, s-, or t-butoxycarbonyl, methoxymethyl, methoxyethyl, ethoxy-methyl, ethoxyethyl, methylthiomethyl, methylthioethyl, ethylthiomethyl, ethylthioethyl, carboxyl, methylaminocarbonyl, ethylaminocarbonyl, n- or i-propylaminocarbonyl, cyclopropylaminocarbonyl, cyclobutylaminocarbonyl, cyclopentylaminocarbonyl, cyclohexylaminocarbonyl, dimethylaminocarbonyl, diethylaminocarbonyl, ethenyl, propenyl, or butenyl,

R^4 is methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl, tert-butyl, n-pentyl, cyclopropyl, cyclopentyl, cyclohexyl, 2-chloroethyl, 2,2,3,3,3-pentafluoro-propyl, 2,2,2-trifluoroethyl, 3-bromopropyl, 2-methoxyethyl, 2-ethoxyethyl, 2-methylthioethyl, allyl, or 2-butenyl; or is optionally singly or doubly, identically or differently, fluorine-, chlorine-, bromine-, methyl-, ethyl-, isopropyl-, trifluoromethyl-, methoxy-, or methylthio-substituted phenyl or benzyl,

p   is 1 or 2,

X   is oxygen, and

Y   is methylene that is optionally singly or doubly, identically or differently, substituted with methyl or ethyl; or is phenyl that is optionally singly to triply, identically or differently, substituted with fluorine, chlorine, methyl, methoxy, trifluoromethyl, cyano, or nitro.

Claim 19 (new): A process according to Claim 11 in which

Het   is a heterocycle selected from the group consisting of

(A)   and   (B) ,

R^2 is hydrogen, and

R^3 is hydrogen, fluorine, or chlorine.

Claim 20 (new): A process according to Claim 11 in which

Het   is the heterocycle

R² is hydrogen, and structure (A),

R²   is hydrogen , and

R³   is chlorine. --